


iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

Dichtung DIN32676 Reihe A
 Werkstoff: FKM (Viton®)
 Temperatureinsatzbereich:
 -20°C bis 200°C



DIN 32676		Reihe A		Item-No.
Nenngröße	Flansch AD ϕ in mm	Flansch ID ϕ in mm		
DN 06*	22,0	$\geq 6,2$	20502900	
DN 08*	22,0	$\geq 8,2$	20502950	
DN 10	34,0	$\geq 10,2$	20503000	
DN 15	34,0	$\geq 16,2$	20503050	
DN 20	34,0	$\geq 20,2$	20503100	
DN 25	50,5	$\geq 26,2$	20503150	
DN 32	50,5	$\geq 32,2$	20503200	
DN 40	50,5	$\geq 38,2$	20503250	
DN 50	64,0	$\geq 50,2$	20503300	
DN 65	91,0	$\geq 66,2$	20503350	
DN 80	106,0	$\geq 81,2$	20503400	
DN 100	119,0	$\geq 100,2$	20503450	
DN 125	155,0	$\geq 125,2$	20503505	
DN 150	183,0	$\geq 150,2$	20503555	
DN 200	233,5	$\geq 200,2$	20503605	
DN 250 (10")	268,0	$\geq 250,2$	20507800	
DN 300 (12")	319,0	$\geq 300,2$	20507900	

*Bauartbedingt OHNE Lippe





info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands