


iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**



	R1	ØD	L	L1	X	e2
SSA 24 ...	6,8	7,0	50	3,0	51	35
SSA 33 ...	9,8	7,0	50	3,0	63	45
SSA 39 ...	12,8	7,0	50	3,0	69	51
SSA 46 ...	16,3	7,0	50	3,0	76	58
SSA 52 ...	19,3	7,0	50	3,5	83	65
SSA 67 ...	25,3	9,5	56	3,5	102	83
SSA 76 ...	---	---	---	---	---	---
SSA 82 ...	---	---	---	---	---	---
SSA 93 ...	---	---	---	---	---	---
SSA 119 ...	50,7	12,0	120	6,0	166	140

Aluminium	Edelstahl 316 1.4401	Schlauch Ø innen (mm)	Wandstärke (mm)	Spannbereich Ø
SSA 24	SSA 24	13 (1/2")	5	22-24 mm
SSA 33	SSA 33	19 (3/4")	6	30-33 mm
	SSA 36	25 (1")	5	34-36 mm
SSA 39	SSA 39	25 (1")	6	36-39 mm
SSA 43*		25 (1")	8,5	41-43 mm
	SSA 43*	32 (1 1/4")	5	41-43 mm
SSA 46	SSA 46	32 (1 1/4")	6	43-46 mm
	SSA 49*	38 (1 1/2")	5	47-49 mm
SSA 50*	SSA 50*	32 (1 1/4")	8	47-50 mm
SSA 52	SSA 52	38 (1 1/2")	6,5	50-52 mm
SSA 56*	SSA 56*	38 (1 1/2")	8	53-56 mm
SSA 60*		38 (1 1/2")	10	57-60 mm
	SSA 61*	50 (2")	5	58-61 mm
SSA 67	SSA 67	50 (2")	8	63-67 mm
SSA 71*	SSA 71*	50 (2")	10	69-71 mm
SSA 76*	SSA 77*	63 (2 1/2")	6	74-76 mm
SSA 82	SSA 82	63 (2 1/2")	8	78-82 mm
SSA 87*		63 (2 1/2")	10	84-87 mm
	SSA 88	75 (3")	6	86-88 mm
SSA 93	SSA 93	75 (3")	8	89-93 mm
SSA 97		75 (3")	10	94-97 mm
	SSA 97*	80	8	94-97 mm
SSA 101*		75 (3")	12	98-101 mm
SSA 119	SSA 119	100 (4")	8	114-119 mm
SSA 122	SSA 122	100 (4")	10	118-122 mm
SSA 148		125 (5")	10	143-148 mm
SSA 174	SSA 174	150 (6")	10	168-174 mm
SSA 180		150 (6")	13	174-180 mm
SSA 229		200 (8")	12	222-229 mm

*= Zwischenmaß, nicht genormt



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands