

iQ parts
IQ-PARTS-SHOP.COM




**SPECS &
INFORMATION**

Flanchstutzen DIN32676 Reihe A Kurz (KK)

Werkstoffe: AISI 316L (1.4404)

Oberfläche: Hygieneklasse H3

Innen: <0,8 µm, Außen: <1,6 µm



Reihe A DN Metrisch	Rohr AD A	Rohr ID B	Flansch AD C	Nut D	Kurz (KK) E	Item-No.
DN06	8,0	6,0	25,0	20,2	12,7	20411980
DN08	10,0	8,0	25,0	20,2	12,7	20411990
DN10	13,0	10,0	34,0	27,5	18,0	20412001
DN15	19,0	16,0	34,0	27,5	18,0	20412051
DN15	19,0	16,0	50,5	43,5	18,0	20412060
DN20	23,0	20,0	34,0	27,5	18,0	20412101
DN25	29,0	26,0	50,5	43,5	21,5	20412151
DN32	35,0	32,0	50,5	43,5	21,5	20412201
DN40	41,0	38,0	50,5	43,5	21,5	20412251
DN50	53,0	50,0	64,0	56,5	21,5	20412301
DN65	70,0	66,0	91,0	83,5	28,0	20412350
DN80	85,0	81,0	106,0	97,0	28,0	20412400
DN100	104,0	100,0	119,0	110,0	28,0	20412450
DN125	129,0	125,0	155,0	146,0	28,0	20412500
DN150	154,0	150,0	183,0	174,0	28,0	20412550
DN200	204,0	200,0	233,5	225,0	28,0	20412600



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands