


iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

Flanchstutzen DIN32676
Reihe A Kurz - EU Produktion
Werkstoffe: AISI 316L (1.4404)
Oberfläche: Hygieneklasse H3
Innen: <0,8 µm, Außen: <1,6 µm



DIN 32676 Reihe A	Rohr AD A	Rohr ID B	Flansch AD C	Nut D	Länge E	Item-No.
DN10	13,0	10,0	34,0	27,5	18,0	20402001
DN15	19,0	16,0	34,0	27,5	18,0	20402051
DN20	23,0	20,0	34,0	27,5	18,0	20402101
DN25	29,0	26,0	50,5	43,5	21,5	20402151
DN32	35,0	32,0	50,5	43,5	21,5	20402201
DN40	41,0	38,0	50,5	43,5	21,5	20402251
DN50	53,0	50,0	64,0	56,5	21,5	20402301
DN65	70,0	66,0	91,0	83,5	28,0	20402350
DN80	85,0	81,0	106,0	97,0	28,0	20402400
DN100	104,0	100,0	119,0	110,0	28,0	20402450
DN125	129,0	125,0	155,0	146,0	28,0	20402500
DN150	154,0	150,0	183,0	174,0	28,0	20402550
DN200	204,0	200,0	233,5	225,0	28,0	20402600



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands