


iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

Gaskets DIN32676 sched. A
 Material: FKM (Viton®)
 Temperature range: -20°C to 200°C



DIN 32676		sched. A		Item-No.
Nominal Size	Ferrule OD ø in mm	Ferrule ID ø in mm		
DN 06*	22,0	≥ 6,2	20502900	
DN 08*	22,0	≥ 8,2	20502950	
DN 10	34,0	≥ 10,2	20503000	
DN 15	34,0	≥ 16,2	20503050	
DN 20	34,0	≥ 20,2	20503100	
DN 25	50,5	≥ 26,2	20503150	
DN 32	50,5	≥ 32,2	20503200	
DN 40	50,5	≥ 38,2	20503250	
DN 50	64,0	≥ 50,2	20503300	
DN 65	91,0	≥ 66,2	20503350	
DN 80	106,0	≥ 81,2	20503400	
DN 100	119,0	≥ 100,2	20503450	
DN 125	155,0	≥ 125,2	20503505	
DN 150	183,0	≥ 150,2	20503555	
DN 200	233,5	≥ 200,2	20503605	
DN 250 (10")	268,0	≥ 250,2	20507800	
DN 300 (12")	319,0	≥ 300,2	20507900	

*Due to design WITHOUT lip



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands