


iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

Rondstaal beugel | Rundstahlbügel | Rod Steel
DIN 3570, Form A


Verzinkt staal Stahl Verzinkt Galvanized Steel	1.4301	D	G	L	B	H
RSB 18	RSB 18 ES	18	M 10	30	33	67
RSB 15*	RSB 15 ES*	21,3	M 8	20	30	46
RSB 20*	RSB 20 ES*	26,9	M 8	20	35	54
RSB 27	RSB 27 ES	25,0 - 26,9	M 10	40	40	70
RSB 25*	RSB 25 ES*	33,7	M 8	25	43	68
RSB 34	RSB 34 ES	30,0 - 33,7	M 10	40	48	76
RSB 32*	RSB 32 ES*	42,4	M 8	30	51	68
RSB 42	RSB 42 ES	38,0 - 42,4	M 10	50	56	86
RSB 40*	RSB 40 ES*	48,3	M 8	30	58	88
RSB 48	RSB 48 ES	44,5 - 48,3	M 10	50	62	92
RSB 50*	RSB 50 ES*	60,3	M 10	35	71	90
RSB 60	RSB 60 ES	57,0 - 60,3 (M 12	50	76	109
RSB 76	RSB 76 ES	76,1	M 12	50	94	125
RSB 89	RSB 89 ES	88,9	M 12	50	106	138
RSB 114	RSB 114 ES	108,0 - 114,3	M 16	60	136	171
RSB 140	RSB 140 ES	133,0 - 139,7	M 16	60	164	191
RSB 168	RSB 168 ES	159,0 - 168,3	M 16	60	192	217
RSB 194	RSB 194 ES	191,0 - 193,7	M 16	60	218	249
RSB 219	RSB 219 ES	216,0 - 219,1	M 20	70	248	283
RSB 273	RSB 273 ES	267,0 - 273,0	M 20	70	302	334
RSB 333	RSB 333 ES	318,0 - 332,9	M 20	70	352	385
RSB 368	RSB 368 ES	356,6 - 368,0	M 24	70	402	435
RSB 419	RSB 419 ES	406,4 - 419,0	M 24	70	452	487
RSB 521	RSB 521 ES	508,0 - 521,0	M 24	70	554	589

* vergelijkbaar met DIN; Wij raden aan deze alleen in beperkte installatieruimtes te gebruiken
 * ähnlich DIN; wir empfehlen diese nur bei beengten Einbauverhältnissen zu verwenden
 * comparable to DIN; We recommend using this only in limited installation areas



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands