

iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**



ADJUSTABLE BANDING HOSE CLAMPS

The perfect solution for large diameter applications.

- ✓ Suitable for use on all types of hoses including wire re-enforced
- ✓ For all hose from 60mm diameter and above
- ✓ Tamtorque tamper proof connectors also available




HIGH PERFORMANCE HOSE CLIPS

MULTI-TORQUE®

ULTIMATE PROTECTION

All HI-TORQUE and MULTI-TORQUE hose clips have fully rounded edges to give the best possible protection to the hose.



JCS band edges



Typical hose clip with turned edges




MULTI-TORQUE

Ideal for large diameter applications, our Multi-Torque adjustable banding hose clamps combine the strength and performance of the Hi-Torque hose clamp with the versatility and convenience of producing instant hose clamps to any design and diameter from a kit. Available in both 304 and 316 stainless steel.

Multi-Torque is significantly stronger than any other adjustable banding products and straightforward to use - simply cut off the required banding length from a continuous roll and engage one end into each housing of the worm drive Multi-Torque connectors provided. The band can then be applied to pipes or ducts of virtually any diameter.

Multi-Torque banding is supplied in 10m and 30m coils. Other lengths are available to special order. A maintenance kit is also available that contains one connector and 1m coil, a necessary addition to any field service engineer's toolkit.

TECHNICAL & MATERIAL SPECIFICATION



RECOMMENDED SETTING TORQUE
15Nm (130 lb.tn)

BAND TENSILE STRENGTH
1150 N/mm² approx. (75 tons/in²)

MATERIAL SPECIFICATIONS

STAINLESS STEEL 304
All parts BS304 - EN 1.4301/1.4576

STAINLESS STEEL 316
All parts BS316 - EN 1.4401/1.4578

MULTI-TORQUE CONNECTORS

Length Box Qty

150mm 10
300mm 25
350mm 25
450mm 25

MULTI-TORQUE BANDING

Length

10m
30m

Working torque 15Nm
Heavy duty

HEAVY DUTY APPLICATIONS

When the application is especially demanding, our heavy-duty Multi-Torque banding, available in both 304 and 316 stainless steel, has more than twice the strength of regular banding.

For added security, we also offer unique tamper-proof clamps which can only be tightened or released with a special screw bit.



CCTV & ANPR



Large signage



MULTI-TORQUE 1M KIT



JCS Part No	Product Description	Packaging Description	Pack Qty
DISPKMT1	Multi-Torque kit dispenser pack	(10 kits + 1 dispenser)	1

MULTI-TORQUE STAINLESS STEEL 304



JCS Part No	Product Description	Packaging Description	Pack Qty
MTB10P	Multi-Torque 304 Stainless steel banding	Box (10m coil)	1
MTB30P	Multi-Torque 304 Stainless steel banding	Box (30m coil)	1
MTC150P	Multi-Torque 304 Stainless steel 150mm connector	Bulk pack (10 connectors per box)	10
MTC300P	Multi-Torque 304 Stainless steel 300mm connector	Bulk pack (25 connectors per box)	25
MTC350P	Multi-Torque 304 Stainless steel 350mm connector	Bulk pack (25 connectors per box)	25
MTC450P	Multi-Torque 304 Stainless steel 450mm connector	Bulk pack (25 connectors per box)	25
MTK1BG	Multi-Torque one metre kit	Headed bag (1 connector + 1 metre of banding)	1

MULTI-TORQUE STAINLESS STEEL 316



JCS Part No	Product Description	Packaging Description	Pack Qty
MTJB10P	Multi-Torque 316 Stainless steel banding	Box (10m coil)	1
MTJB30P	Multi-Torque 316 Stainless steel banding	Box (30m coil)	1
MTJC150P	Multi-Torque 316 Stainless steel 150mm connector	Bulk pack (10 connectors per box)	10
MTJC300P	Multi-Torque 316 Stainless steel 300mm connector	Bulk pack (25 connectors per box)	25
MTJC350P	Multi-Torque 316 Stainless steel 350mm connector	Bulk pack (25 connectors per box)	25
MTJC450P	Multi-Torque 316 Stainless steel 450mm connector	Bulk pack (25 connectors per box)	25
MTJK1BG	Multi-Torque 316 Stainless steel one metre kit	Headed bag (1 connector + 1 metre of banding)	1

MULTI-TAMTORQUE STAINLESS STEEL 304



JCS Part No	Product Description	Packaging Description	Pack Qty
MTTCK150P	Multi-Tamtorque Connector with buckle	Bulk pack (10 connectors per box)	10
MTTC150P	Multi-Tamtorque Connector	Bulk pack (10 connectors per box)	10



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands