Departs-Shop.com

SPECS & INFORMATION


U




Heavy Duty Seamless PEX Pipe Clamps for use with DZR Brass F1807 and Plastic F2159 Fittings

- All stainless steel pinch clamp with "tongue and groove" design provides 360° seamless fastening.
- Exceeds ASTM F-2098 requirements
- For use with DZR Brass F1807 and Plastic F2159 fittings
- Patented crimp lobes reduce miscrimps during installation
- Designed primarily for PEX (cross-linked polyethylene), PAP (PEX Aluminum PEX), and PERT (Polyethylene Raised Temperature) but has numerous alternate uses





LOCK TAB / HOOK STYLE VARIES WITH PART SIZE



which can result in leaks

Part Number	PEX Tbe Size	Width (W)	Open Dia.	Closed Dia.	Open Dia. Inches	Closed Dia. Inches
PEX 133	3/8″	7.0mm	13.3mm	10.8mm	0.524	0.424
PEX 175	1/2″	7.0mm	17.5mm	14.3mm	0.689	0.564
PEX 206	5/8″	9.0mm	20.6mm	17.4mm	0.811	0.686
PEX 233	3/4'	9.0mm	23.3mm	20.1mm	0.917	0.791
PEX 296	1″	10.0mm	29.6mm	26.4mm	1.165	1.039

Other sizes available upon request. Available in packed and bulk stock. Other packaging configurations available



H

5

K,

and a second sec

V.

-

AND DE LE COLORIZACIÓN DE LE COL

ANN A

AMM -

info@iq-parts.nl Harsweg 34A 2461 EZ Ter Aar T +31 252 624 126 The Netherlands