

iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

DIN 3016 P-Clip Form D



W1

DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.

12 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-----|------------------|--------------------|---------------|
| AGD 5/12 | 03003856 | 5 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 6/12 | 03003864 | 6 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 7/12 | 03003872 | 7 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 8/12 | 03003880 | 8 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 9/12 | 03003899 | 9 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 10/12 | 03003901 | 10 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 11/12 | 03003910 | 11 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 12/12 | 03003928 | 12 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 13/12 | 03003936 | 13 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 14/12 | 03003944 | 14 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 15/12 | 03003952 | 15 | 12 | 5,3 | M.5 | 500 | 500 |
| AGD 16/12 | 03003960 | 16 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 17/12 | 03003979 | 17 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 18/12 | 03003987 | 18 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 19/12 | 03003995 | 19 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 20/12 | 03004007 | 20 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 21/12 | 03004015 | 21 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 22/12 | 03004023 | 22 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 23/12 | 03004031 | 23 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 24/12 | 03004040 | 24 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 25/12 | 03004058 | 25 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 26/12 | 03004066 | 26 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 27/12 | 03004074 | 27 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 28/12 | 03004082 | 28 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 29/12 | 03004090 | 29 | 12 | 5,3 | M.5 | 200 | 200 |
| AGD 30/12 | 03004103 | 30 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 31/12 | 03004111 | 31 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 32/12 | 03004120 | 32 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 33/12 | 03004138 | 33 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 34/12 | 03004146 | 34 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 35/12 | 03004154 | 35 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 36/12 | 03004162 | 36 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 37/12 | 03004170 | 37 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 38/12 | 03004189 | 38 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 39/12 | 03004197 | 39 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 40/12 | 03004200 | 40 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 41/12 | 03004218 | 41 | 12 | 5,3 | M.5 | 100 | 100 |

DIN 3016 P-Clip Form D


P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.



12 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-----|------------------|--------------------|---------------|
| AGD 42/12 | 03004226 | 42 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 43/12 | 03004234 | 43 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 44/12 | 03004242 | 44 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 45/12 | 03004250 | 45 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 46/12 | 03004269 | 46 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 47/12 | 03004277 | 47 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 48/12 | 03004285 | 48 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 49/12 | 03004293 | 49 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 50/12 | 03004306 | 50 | 12 | 5,3 | M.5 | 100 | 100 |
| AGD 51/12 | 03004314 | 51 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 52/12 | 03004322 | 52 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 53/12 | 03004330 | 53 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 54/12 | 03004349 | 54 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 55/12 | 03004357 | 55 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 56/12 | 03004365 | 56 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 57/12 | 03004373 | 57 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 58/12 | 03004381 | 58 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 59/12 | 03004390 | 59 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 60/12 | 03004402 | 60 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 61/12 | 03004410 | 61 | 12 | 5,3 | M.5 | 50 | 200 |
| AGD 62/12 | 03004428 | 62 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 63/12 | 03004436 | 63 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 64/12 | 03004444 | 64 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 65/12 | 03004452 | 65 | 12 | 5,3 | M.5 | 50 | 50 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D


P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

12 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-----|------------------|--------------------|---------------|
| AGD 66/12 | 03004460 | 66 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 67/12 | 03004479 | 67 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 68/12 | 03004487 | 68 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 69/12 | 03004495 | 69 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 70/12 | 03004509 | 70 | 12 | 5,3 | M.5 | 50 | 50 |
| AGD 71/12 | 03004517 | 71 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 72/12 | 03004525 | 72 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 73/12 | 03004533 | 73 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 74/12 | 03004541 | 74 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 75/12 | 03004550 | 75 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 76/12 | 03004568 | 76 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 77/12 | 03004576 | 77 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 78/12 | 03004584 | 78 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 79/12 | 03004592 | 79 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 80/12 | 03004605 | 80 | 12 | 5,3 | M.5 | 25 | 25 |
| AGD 81/12 | 03004613 | 81 | 12 | 5,3 | M.5 | 10 | 10 |
| AGD 110/12 | 03004621 | 110 | 12 | 5,3 | M.5 | 10 | 10 |

|  | TECHNICAL INFORMATION | |
|---|-------------------------------|-----------------------------------|
| | MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| | FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| | TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D

P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

15 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-----|------------------|--------------------|---------------|
| AGD 5/15 | 03004656 | 5 | 15 | 6,4 | M.6 | 500 | 500 |
| AGD 6/15 | 03004664 | 6 | 15 | 6,4 | M.6 | 500 | 500 |
| AGD 7/15 | 03004672 | 7 | 15 | 6,4 | M.6 | 500 | 500 |
| AGD 8/15 | 03004680 | 8 | 15 | 6,4 | M.6 | 500 | 500 |
| AGD 9/15 | 03004699 | 9 | 15 | 6,4 | M.6 | 500 | 500 |
| AGD 10/15 | 03004701 | 10 | 15 | 6,4 | M.6 | 500 | 500 |
| AGD 11/15 | 03004710 | 11 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 12/15 | 03004728 | 12 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 13/15 | 03004736 | 13 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 14/15 | 03004744 | 14 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 15/15 | 03004752 | 15 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 16/15 | 03004760 | 16 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 17/15 | 03004779 | 17 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 18/15 | 03004787 | 18 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 19/15 | 03004795 | 19 | 15 | 6,4 | M.6 | 250 | 250 |
| AGD 20/15 | 03004808 | 20 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 21/15 | 03004816 | 21 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 22/15 | 03004824 | 22 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 23/15 | 03004832 | 23 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 24/15 | 03004840 | 24 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 25/15 | 03004859 | 25 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 26/15 | 03004867 | 26 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 27/15 | 03004875 | 27 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 28/15 | 03004883 | 28 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 29/15 | 03004891 | 29 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 30/15 | 03004904 | 30 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 31/15 | 03004912 | 31 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 32/15 | 03004920 | 32 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 33/15 | 03004939 | 33 | 15 | 6,4 | M.6 | 100 | 100 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D

P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

15 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-----|------------------|--------------------|---------------|
| AGD 34/15 | 03004947 | 34 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 35/15 | 03004955 | 35 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 36/15 | 03004963 | 36 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 37/15 | 03004971 | 37 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 38/15 | 03004980 | 38 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 39/15 | 03004998 | 39 | 15 | 6,4 | M.6 | 100 | 100 |
| AGD 40/15 | 03005000 | 40 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 41/15 | 03005018 | 41 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 42/15 | 03005026 | 42 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 43/15 | 03005034 | 43 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 44/15 | 03005042 | 44 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 45/15 | 03005050 | 45 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 46/15 | 03005069 | 46 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 47/15 | 03005077 | 47 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 48/15 | 03005085 | 48 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 49/15 | 03005093 | 49 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 50/15 | 03005106 | 50 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 51/15 | 03005114 | 51 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 52/15 | 03005122 | 52 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 53/15 | 03005130 | 53 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 54/15 | 03005149 | 54 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 55/15 | 03005157 | 55 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 56/15 | 03005165 | 56 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 57/15 | 03005173 | 57 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 58/15 | 03005181 | 58 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 59/15 | 03005190 | 59 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 60/15 | 03005202 | 60 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 61/15 | 03005210 | 61 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 62/15 | 03005229 | 62 | 15 | 6,4 | M.6 | 50 | 50 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D

P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

15 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-----|------------------|--------------------|---------------|
| AGD 63/15 | 03005237 | 63 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 64/15 | 03005245 | 64 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 65/15 | 03005253 | 65 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 66/15 | 03005261 | 66 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 67/15 | 03005270 | 67 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 68/15 | 03005288 | 68 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 69/15 | 03005296 | 69 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 70/15 | 03005309 | 70 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 71/15 | 03005317 | 71 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 72/15 | 03005325 | 72 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 73/15 | 03005333 | 73 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 74/15 | 03005341 | 74 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 75/15 | 03005350 | 75 | 15 | 6,4 | M.6 | 50 | 50 |
| AGD 76/15 | 03005368 | 76 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 77/15 | 03005376 | 77 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 78/15 | 03005384 | 78 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 79/15 | 03005392 | 79 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 80/15 | 03005405 | 80 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 81/15 | 03005413 | 81 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 82/15 | 03005421 | 82 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 83/15 | 03005430 | 83 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 84/15 | 03005448 | 84 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 85/15 | 03005456 | 85 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 86/15 | 03005464 | 86 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 87/15 | 03005472 | 87 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 88/15 | 03005480 | 88 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 89/15 | 03005499 | 89 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 90/15 | 03005501 | 90 | 15 | 6,4 | M.6 | 25 | 25 |
| AGD 110/15 | 03007155 | 110 | 15 | 6,4 | M.6 | 25 | 25 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D


P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

20 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|------|------------------|--------------------|---------------|
| AGD 8/20 | 03005507 | 8 | 20 | 8,40 | M.8 | 250 | 250 |
| AGD 9/20 | 03005508 | 9 | 20 | 8,40 | M.8 | 250 | 250 |
| AGD 10/20 | 03007101 | 10 | 20 | 8,40 | M.8 | 200 | 200 |
| AGD 11/20 | 03005510 | 11 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 12/20 | 03005528 | 12 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 13/20 | 03005536 | 13 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 14/20 | 03005544 | 14 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 15/20 | 03005552 | 15 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 16/20 | 03005560 | 16 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 17/20 | 03005562 | 17 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 18/20 | 03005579 | 18 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 19/20 | 03005587 | 19 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 20/20 | 03005595 | 20 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 21/20 | 03005608 | 21 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 22/20 | 03005616 | 22 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 23/20 | 03005624 | 23 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 24/20 | 03005632 | 24 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 25/20 | 03005640 | 25 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 26/20 | 03005659 | 26 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 27/20 | 03005667 | 27 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 28/20 | 03005675 | 28 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 29/20 | 03005683 | 29 | 20 | 8,40 | M.8 | 100 | 100 |
| AGD 30/20 | 03005691 | 30 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 31/20 | 03005704 | 31 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 32/20 | 03005712 | 32 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 33/20 | 03005720 | 33 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 34/20 | 03005739 | 34 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 35/20 | 03005747 | 35 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 36/20 | 03005755 | 36 | 20 | 8,40 | M.8 | 50 | 50 |

|  | TECHNICAL INFORMATION | |
|---|-------------------------------|-----------------------------------|
| | MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| | FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| | TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D

P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

20 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|------|------------------|--------------------|---------------|
| AGD 37/20 | 03005763 | 37 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 38/20 | 03005771 | 38 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 39/20 | 03005780 | 39 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 40/20 | 03005798 | 40 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 41/20 | 03005800 | 41 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 42/20 | 03005819 | 42 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 43/20 | 03005827 | 43 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 44/20 | 03005835 | 44 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 45/20 | 03005843 | 45 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 46/20 | 03005851 | 46 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 47/20 | 03005860 | 47 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 48/20 | 03005878 | 48 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 49/20 | 03005886 | 49 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 50/20 | 03005894 | 50 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 51/20 | 03005907 | 51 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 52/20 | 03005915 | 52 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 53/20 | 03005923 | 53 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 54/20 | 03005931 | 54 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 55/20 | 03005940 | 55 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 56/20 | 03005958 | 56 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 57/20 | 03005966 | 57 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 58/20 | 03005974 | 58 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 59/20 | 03005982 | 59 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 60/20 | 03005990 | 60 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 61/20 | 03006002 | 61 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 62/20 | 03006010 | 62 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 63/20 | 03006029 | 63 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 64/20 | 03006037 | 64 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 65/20 | 03006045 | 65 | 20 | 8,40 | M.8 | 50 | 50 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D

P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

20 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|------|------------------|--------------------|---------------|
| AGD 66/20 | 03006053 | 66 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 67/20 | 03006061 | 67 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 68/20 | 03006070 | 68 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 69/20 | 03006088 | 69 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 70/20 | 03006096 | 70 | 20 | 8,40 | M.8 | 50 | 50 |
| AGD 71/20 | 03006109 | 71 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 72/20 | 03006117 | 72 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 73/20 | 03006125 | 73 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 74/20 | 03006133 | 74 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 75/20 | 03006141 | 75 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 76/20 | 03006150 | 76 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 77/20 | 03006168 | 77 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 78/20 | 03006176 | 78 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 79/20 | 03006184 | 79 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 80/20 | 03006192 | 80 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 81/20 | 03006205 | 81 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 82/20 | 03006213 | 82 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 83/20 | 03006221 | 83 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 84/20 | 03006230 | 84 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 85/20 | 03006248 | 85 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 86/20 | 03006256 | 86 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 87/20 | 03006264 | 87 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 88/20 | 03006272 | 88 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 89/20 | 03006280 | 89 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 90/20 | 03006299 | 90 | 20 | 8,40 | M.8 | 25 | 25 |
| AGD 110/20 | 03007163 | 110 | 20 | 8,40 | M.8 | 20 | 20 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D


P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

25 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-------|------------------|--------------------|---------------|
| AGD 10/25 | 03006300 | 10 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 11/25 | 03006301 | 11 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 12/25 | 03006310 | 12 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 13/25 | 03006328 | 13 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 14/25 | 03006336 | 14 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 15/25 | 03006344 | 15 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 16/25 | 03006352 | 16 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 17/25 | 03006360 | 17 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 18/25 | 03006379 | 18 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 19/25 | 03006387 | 19 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 20/25 | 03006395 | 20 | 25 | 10,50 | M.10 | 100 | 100 |
| AGD 21/25 | 03006408 | 21 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 22/25 | 03006416 | 22 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 23/25 | 03006424 | 23 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 24/25 | 03006432 | 24 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 25/25 | 03006440 | 25 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 26/25 | 03006459 | 26 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 27/25 | 03006467 | 27 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 28/25 | 03006475 | 28 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 29/25 | 03006483 | 29 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 30/25 | 03006491 | 30 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 31/25 | 03006504 | 31 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 32/25 | 03006512 | 32 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 33/25 | 03006520 | 33 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 34/25 | 03006539 | 34 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 35/25 | 03006547 | 35 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 36/25 | 03006555 | 36 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 37/25 | 03006563 | 37 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 38/25 | 03006571 | 38 | 25 | 10,50 | M.10 | 50 | 50 |

|  | TECHNICAL INFORMATION | |
|---|-------------------------------|-----------------------------------|
| | MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| | FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| | TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D

P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

25 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-------|------------------|--------------------|---------------|
| AGD 39/25 | 03006580 | 39 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 40/25 | 03006598 | 40 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 41/25 | 03006600 | 41 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 42/25 | 03006619 | 42 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 43/25 | 03006627 | 43 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 44/25 | 03006635 | 44 | 25 | 10,50 | M.10 | 50 | 50 |
| AGD 45/25 | 03006643 | 45 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 46/25 | 03006651 | 46 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 47/25 | 03006660 | 47 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 48/25 | 03006678 | 48 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 49/25 | 03006686 | 49 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 50/25 | 03006694 | 50 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 51/25 | 03006707 | 51 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 52/25 | 03006715 | 52 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 53/25 | 03006723 | 53 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 54/25 | 03006731 | 54 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 55/25 | 03006740 | 55 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 56/25 | 03006758 | 56 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 57/25 | 03006766 | 57 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 58/25 | 03006774 | 58 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 59/25 | 03006782 | 59 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 60/25 | 03006790 | 60 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 61/25 | 03006803 | 61 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 62/25 | 03006811 | 62 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 63/25 | 03006820 | 63 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 64/25 | 03006838 | 64 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 65/25 | 03006846 | 65 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 66/25 | 03006854 | 66 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 67/25 | 03006862 | 67 | 25 | 10,50 | M.10 | 25 | 25 |

| TECHNICAL INFORMATION | |
|-------------------------------|-----------------------------------|
| MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| TEMPERATURE RESISTANCE | -40 + 120 °C |



DIN 3016 P-Clip Form D


P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.




W1

25 mm Band

| Denomination | Part Number | Diameter Application | Band Width a | d | For Metric Screw | Box Quantity (MOQ) | Outer Packing |
|--------------|-------------|----------------------|--------------|-------|------------------|--------------------|---------------|
| AGD 68/25 | 03006870 | 68 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 69/25 | 03006889 | 69 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 70/25 | 03006897 | 70 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 71/25 | 03006900 | 71 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 72/25 | 03006918 | 72 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 73/25 | 03006926 | 73 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 74/25 | 03006934 | 74 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 75/25 | 03006942 | 75 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 76/25 | 03006950 | 76 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 77/25 | 03006969 | 77 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 78/25 | 03006977 | 78 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 79/25 | 03006985 | 79 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 80/25 | 03006993 | 80 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 82/25 | 03007013 | 82 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 85/25 | 03007048 | 85 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 88/25 | 03007052 | 88 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 90/25 | 03007099 | 90 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 100/25 | 03007171 | 100 | 25 | 10,50 | M.10 | 20 | 20 |
| AGD 110/25 | 03007180 | 110 | 25 | 10,50 | M.10 | 20 | 20 |
| AGD 120/25 | 03007110 | 120 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 136/25 | 03007144 | 136 | 25 | 10,50 | M.10 | 25 | 25 |
| AGD 150/25 | 03007128 | 150 | 25 | 10,50 | M.10 | 20 | 20 |

|  | TECHNICAL INFORMATION | |
|---|-------------------------------|-----------------------------------|
| | MATERIAL | W1: GALVANIZED STEEL (DIN 1.0529) |
| | FINISH | W1: GREY-WHITE WITH EPDM RUBBER |
| | TEMPERATURE RESISTANCE | -40 + 120 °C |





info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands