

**iQ parts**  
IQ-PARTS-SHOP.COM





**SPECS &  
INFORMATION**

QUOTATION DRAWING



ITEM-NO.	QTY.	PART-NAME	MATERIAL	MATERIAL SPEC.	SURFACE
1	1	HOUSING	PA66-GF30	ASTM D6779 PA012G30	BLACK
2	2	O-RING	EPDM	SAE J200M-3DA-710-A26-B36-C32-EA14-F19-Z1,Z2,Z3 Z1 - PEROXIDE CURED EPDM Z2 - DUROMETER SHORE A 60-75 Z3 - INTERNALLY LUBRICATED	BLACK
3	1	SPACER	PA612	ASTM D4066-PA0621	NATURAL
4	1	BUSHING	PA66-GF30	ASTM D6779 PA012G30	BLACK
5	1	RETAINER	PA612	ASTM D4066-PA0621	NATURAL



NOTES:

- LUBRICATE O-RINGS PRIOR TO ASSEMBLY WITH ENGINEERING APPROVED LUBRICANT
- ASSEMBLY PLANT INSTRUCTIONS MUST SPECIFY:
  - INSERT TUBE INTO CONNECTOR UNTIL AND AUDIBLE CLICK IS HEARD AND/OR RESISTANCE TO FURTHER INSERTION SIGNIFICANTLY INCREASES
  - PULL BACK ON THE TUBE IN THE OPPOSITE DIRECTION OF INSERTION WITH A MINIMUM OF 67N FORCE TO ENSURE THE TUBE IS PROPERLY LATCHED
- MATERIAL CONTROL PER GMW 3059 OR WSS-M99P23-C1

-	B	-	CONNECTING SPIGOT VIEWS WERE ADDED. TITLE BLOCK WAS UPDATED	5593	2019-08-06	D.REYES	J.BURDEN
-	A	-	UPDATED TO NORMAL LATEST DRAWING STANDARDS. REVISED NOTES. REVISED BOM.	3823	2019-07-16	E.ROOME	J.BURDEN
INDEX				REVISION SUMMARY			
PART	CHG	QTY		CHANGE-NO	DATE	DRAWN	CHECKED
LOCAL-NO: -				DESCRIPTION: 3/4 X 5/8 HOSE BARB CONNECTOR RETAINER WITH NO RELEASE TABS			
[SC] DENOTES KEY CHARACTERISTIC. IDENTIFIES THOSE ITEMS FOR WHICH DERIVED PROCESS CONTROLS ARE MANDATORY. REFERENCE AING STATISTICAL PROCESS CONTROL MANUAL.				3/4 X 5/8 HOSE BARB CONNECTOR RETAINER WITH NO RELEASE TABS			
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM. TOLERANCE ±0.13, ANGULAR 12°				DRAWING-NAME: 0788032019_Q			
DRAWING-NAME: 0788032019_Q				NORMA-NO: 0788 8032 019			
DRAWING-NAME: 0788032019_Q				PART: - INDEX: B TYPE: Q FORMAT: A3 SHEET: 1/1			



info@iq-parts.nl  
Harsweg 34A  
2461 EZ Ter Aar  
T +31 252 624 126  
The Netherlands