

iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

Pro Spec Hand Tube Cutter

HTC 500 | 504



Recommended for cutting of PEX, PE-RT, Poly tubing, HDPE up to 1”


- Benefits**
- Replaceable v-shaped hollow ground blade
 - Blade safely stores in jaws when locked
 - Soft molded, spring loaded handles
 - Thumb actuated lock



Pro Spec Hand Tube Cutter
HTC 500 | 504
Item no. 14100504

Unique cutting cavity design provides straight cuts

Replaceable hollow ground blade cuts quickly and easily



TECHNICAL DATA OVERVIEW

Model No.	HTC 500 504	
Item No.	14100504	

Dimensions:

Length	235.0 mm	9.25 in.
Width	61.0 mm	2.40 in.
Height	25.0 mm	1.0 in.
Weight	270 g	9.5 oz.
Jaw width	25.0 mm	1.02 in.
Opening gap	28.5 mm	1.12 in.
Reference jaw force	500 N	

Replacement blades:

Model No.	HTC 500 506	
Item No.	14100506	

DESCRIPTION

Oetiker Hand Tube Cutter HTC 500 | 504 is designed to safely cut PEX, PE-RT, Poly tubing and HDPE straight and flat.

Replaceable v-shaped blade cuts into tubing and maintains tubing roundness.

Specially designed flats on cutting cavity ensure tubing remains straight during cutting, resulting a straight cut every time.

Blade stores within the cutting cavity when not in use, eliminating unsafe sharp edges when stored.

Spring loaded ergonomic curved handles feature soft molded grips for ease of use.

NOTE: To achieve optimal performance, ensure the blade is perpendicular to the pipe when cutting.



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands