

iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

Fittings Products

PVDF Fittings

PVDF




Working pressure
Up to 14 BAR
(200 psi) at 20 °C



Temperature
-20 °C -120 °C
(subject to application)



Fittings' dimensions
refer to tube ID or OD, with respect
to the common application



BSPT Male Hose Connector

| Cat. No. | Tube ID mm | M (BSPT) | L mm | SW | Color |
|-------------|------------|----------|------|----|-------|
| 12556844021 | 4 | 1/8" | 31.2 | 11 | |
| 12556844041 | 4 | 1/4" | 33.8 | 14 | |
| 12556845021 | 5 | 1/8" | 34.7 | 11 | |
| 12556845041 | 5 | 1/4" | 38.3 | 14 | |
| 12556846021 | 6 | 1/8" | 35.0 | 11 | |
| 12556846041 | 6 | 1/4" | 39.2 | 14 | |
| 12556846061 | 6 | 3/8" | 39.1 | 17 | |
| 12556846081 | 6 | 1/2" | 42.3 | 22 | |
| 12556846121 | 6 | 3/4" | 43.0 | 22 | |
| 12556848021 | 8 | 1/8" | 39.8 | 11 | |
| 12556848041 | 8 | 1/4" | 43.0 | 14 | |
| 12556848061 | 8 | 3/8" | 43.0 | 17 | |
| 12556848081 | 8 | 1/2" | 46.1 | 22 | |
| 12556848121 | 8 | 3/4" | 37.1 | 17 | |
| 12556850041 | 10 | 1/4" | 47.1 | 14 | |
| 12556850061 | 10 | 3/8" | 45.2 | 17 | |
| 12556850081 | 10 | 1/2" | 48.3 | 22 | |
| 12556850121 | 10 | 3/4" | 49.3 | 27 | |
| 12556852041 | 12 | 1/4" | 46.0 | 14 | |
| 12556852061 | 12 | 3/8" | 46.0 | 17 | |
| 12556852081 | 12 | 1/2" | 49.3 | 22 | |
| 12556852121 | 12 | 3/4" | 50.0 | 27 | |
| 12556854061 | 14 | 3/8" | 47.5 | 17 | |
| 12556854081 | 14 | 1/2" | 50.8 | 22 | |
| 12556854121 | 14 | 3/4" | 51.7 | 27 | |
| 12556856081 | 16 | 1/2" | 51.3 | 22 | |
| 12556856121 | 16 | 3/4" | 52.2 | 27 | |
| 12556859081 | 19 | 1/2" | 52.2 | 22 | |
| 12556859121 | 19 | 3/4" | 53.3 | 27 | |
| 12556859161 | 19 | 1" | 60.1 | 36 | |
| 12556865121 | 25 | 3/4" | 54.8 | 27 | |
| 12556865161 | 25 | 1" | 66.6 | 36 | |

White

Note: Packing 25 unit



info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands