

iQparts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

TruDesign Carbon Filter

The TruDesign Carbon Filter is a useful addition to a holding tank vent pipe to reduce the odour from black water and salt water crustaceans. The carbon in the filter absorbs odours leaving the air fresh to the topside.


The Carbon Filter is not a substitute for good ventilation of the holding tank. It is designed to remove excess odour from a properly functioning holding tank. Holding tanks require good ventilation to ensure aerobic decomposition. Anaerobic decomposition due to lack of oxygen is the major cause of holding tank odour through H₂S production (rotten egg smell).

MODEL

Part #	Description
90355	Carbon Filter Holding Tank



DIMENSIONS: All dimensions in mm and nominal.



KEY FEATURES

Feature :	
Odour removal	Reduces holding tank smells topside.
Mounting options	Saddles for mounting, or screw directly to a bulkhead.
Hose size options	Dual tail setup to fit 19mm and 25mm hose.
Clear bottom	Able to check fluid has not entered filter.

INSTALLATION

Full installation, instructions are on the Carbon Filter.

Note: For optimum operation install Carbon Filter vertically. The filter should not be installed at less than a 45° angle to vertical.

TruDesign recommend installing the filter with the clear portion on the bottom so fluid overflow can be seen.

SERVICING

The Carbon Filter requires replacement annually. The label has an area for recording the date of installation.

The information contained in this information sheet is for general information purposes only. The information is provided by TruDesign™ and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, suitability or availability. Any reliance you place on such information is therefore strictly at your own risk.



iq
parts
IQ-PARTS-SHOP.COM

info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands